

Interfermed Searched 5/31/06
Mile

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L41	2678	(711/161,111,112).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/31 14:51
L42	1	L41 AND (emulat\$3 ADJ tape\$1 AND archiv\$3 AND data AND disk ADJ based ADJ storage AND transmit\$4 AND remov\$3 AND mov\$3).clm.	US-PGPUB; USPAT	OR	ON	2006/05/31 14:54

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S139	773811	@pd>"20051202"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:34
S140	1485	(707/204).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/30 13:34
S141	1979	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:34
S142	774537	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:34
S143	118	(S142 near4 (mov\$3 OR locat\$3 OR transfer\$4 OR shift\$3 OR relocate\$3)) near4 S141	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:34
S144	5257	((711/111) or (711/112) or (711/114) or (711/161) or (711/162)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/30 13:34
S145	36	S143 AND (S144 OR S140)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:34
S146	4	S139 AND S145	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:40
S147	123263	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 (location OR address\$2 OR LU OR (logical ADJ unit) OR LBA)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:40
S148	10	S147 near5 S141	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:40
S149	0	S139 AND S148	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:41

EAST Search History

S150	394741	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 (indicat\$3 OR identif\$3 OR locat\$3 OR location\$1 OR address\$2 OR LU OR (logical ADJ unit) OR LBA)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:41
S151	7	S150 near5 S141 NOT (S148)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:41
S152	2	S139 AND S151	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:43
S153	9	S150 WITH S141 NOT (S148 OR S151)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:43
S154	0	S139 AND S153	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:43
S155	20	S150 SAME S141 NOT (S148 OR S151 OR S153)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:44
S156	3	S139 AND S155	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:51
S157	21054	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 ((indicat\$3 OR identif\$3 OR locat\$3 OR location\$1 OR address\$2 OR LU OR (logical ADJ unit) OR LBA) near4 (chang\$3 OR modify\$3 OR writ\$3 OR switch\$3 OR swap\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:51
S158	4	S157 SAME S141	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:51
S159	0	S139 AND S158	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:51

EAST Search History

S16 0	73	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 (virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:52
S16 1	1376	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near5 (((disk\$1 OR disc\$1 OR HDD OR drive\$1) near2 array\$3) OR RAID OR DASD)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:52
S16 2	3	S160 AND S161	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:52
S16 3	0	S139 AND S162	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:54
S16 4	2054938	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:54
S16 5	84	((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)) near8 (((disk\$1 OR disc\$1 OR HDD OR drive\$1) near2 array\$3) OR RAID OR DASD)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:54
S16 6	7	S164 SAME S165	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:54
S16 7	1	S139 AND S166	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:56
S16 8	29	S160 AND ("711".clas.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:56
S16 9	4	S139 AND S168	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:58
S17 0	3874	((711/4) or (711/6) or (711/202) or (711/203) or (711/206) or (711/207)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/30 13:58

EAST Search History

S17 1	29	S160 AND (S144 OR S140 OR S170)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:58
S17 2	99	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3) near10 ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:58
S17 3	10	S172 AND (S144 OR S140 OR S170) NOT S171	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:58
S17 4	0	S139 AND S173	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:59
S17 5	3744482	map\$4 OR translat\$3 OR chang\$3 OR mov\$3 OR allocat\$3 OR assign\$3 OR remap\$4 OR reallocat\$3 OR reassign\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:59
S17 6	2054938	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:59
S17 7	1979	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 13:59
S17 8	4058104	(address\$3 OR location\$1 OR position\$1 OR region\$1 OR space\$1 OR locale OR storage\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:59
S17 9	33	(S175 near4 S178) SAME S176 SAME S177	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 13:59
S18 0	3	S139 AND S179	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:12
S18 1	3999	((711/4) or (711/6) or (711/202) or (711/203) or (711/206) or (711/207) or (711/221)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/30 14:12
S18 2	13	S179 AND S181	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:12

EAST Search History

S18 3	0	S139 AND S182	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:13
S18 4	27	((S175 WITH S178) WITH S176) SAME S177	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:13
S18 5	2	S139 AND S184	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:14
S18 6	10	S184 NOT S179	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:15
S18 7	201	((S175 WITH S178) WITH S176) AND S177	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:15
S18 8	168	S187 NOT (S186 OR S179)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:15
S18 9	5257	((711/111) or (711/112) or (711/114) or (711/161) or (711/162)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/30 14:15
S19 0	45	S188 AND (S181 OR S189)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:15
S19 1	5	S139 AND S190	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:15
S19 2	15	S188 AND (S181 AND S189)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:27
S19 3	3	S139 AND S192	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:27
S19 4	3687740	chang\$3 OR mov\$3 OR allocat\$3 OR assign\$3 OR remap\$4 OR reallocat\$3 OR reassign\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:27
S19 5	2067701	(table\$1 OR list\$3 OR (management ADJ (info OR information)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3 OR director\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:27
S19 6	2	((S194 WITH S178) WITH S195) SAME S177) NOT S184	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:27

EAST Search History

S19 7	0	S139 AND S196	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:32
S19 8	96	((S194 near10 S178)) SAME S177) NOT (S179 OR S184)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:32
S19 9	7	S139 AND S198	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:43
S20 0	107	(S194 near10 S177) NOT (S179 OR S184 OR S198)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:43
S20 1	20	S200 AND (S181 OR S189)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:43
S20 2	3	S139 AND S201	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:45
S20 3	3240823	mov\$3 OR copy\$3 OR archiv\$3 OR transfer\$4 OR relocat\$3 OR transmit\$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 14:45
S20 4	1979	((data OR datum OR file\$1) near5 ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))) OR ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:45
S20 5	3133153	DASD\$1 OR ((disk\$1 OR disc\$1) ADJ drive\$1) OR (hard ADJ (disc\$1 OR disk\$1 OR drive\$1)) OR stor\$3 OR (direct ADJ access ADJ storage ADJ device\$1) OR HDD OR HDDs	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:45
S20 6	68	(S203 near4 S204) near4 S205	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:45
S20 7	6	S139 AND S206	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:53
S20 8	2	("6957291").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/30 14:50

EAST Search History

S209	4083	((data OR datum OR file\$1) WITH ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) WITH (tape OR tapes))) OR ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) WITH (tape OR tapes))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:53
S210	162	(S203 WITH S209) WITH S205	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:53
S211	21	S139 AND S210	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:22
S212	3489494	mov\$3 OR maneuver\$3 OR shift\$3 OR migrat\$3 OR archiv\$3 OR transfer\$4 OR relocat\$3 OR transmit\$4 OR transport\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 15:22
S213	774537	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:22
S214	1979	((data OR datum OR file\$1) near5 ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))) OR ((virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near4 (tape OR tapes))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:22
S215	3133153	DASD\$1 OR ((disk\$1 OR disc\$1) ADJ drive\$1) OR (hard ADJ (disc\$1 OR disk\$1 OR drive\$1)) OR stor\$3 OR (direct ADJ access ADJ storage ADJ device\$1) OR HDD OR HDDs	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:22
S216	61	((S212 near4 S213) near4 S215) AND S214	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:22
S217	7	S139 AND S216	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:25
S218	92	((S212 near4 S213) WITH S215) AND S214	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:25
S219	10	S139 AND S218	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:27

EAST Search History

S22 0	31	((S212 near4 S213) WITH S215) AND S214) NOT S216	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:27
S22 1	141	((S212 WITH S213) WITH S215) AND S214) NOT (S216 OR S220)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:27
S22 2	9	S139 AND S221	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:30
S22 3	488	(LU OR LUN OR (Logical ADJ (Unit OR (unit ADj number\$1)))) SAME. (LBA OR (Logical ADJ (block\$1 OR (block ADJ address\$2))))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:30
S22 4	2285	(virtual\$3 OR emulat\$3 OR simulat\$3 OR simulatively) near5 (tape OR tapes)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:30
S22 5	17	S224 AND S223	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:30
S22 6	1	S139 AND S225	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:38
S22 7	2068852	(table\$1 OR list\$3 OR (management ADJ (info OR information OR data)) OR metadata OR chart\$1 OR index\$3 OR tabulation\$1 OR tallie\$1 OR tally\$3 OR director\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/05/30 15:38
S22 8	3133153	DASD\$1 OR ((disk\$1 OR disc\$1) ADJ drive\$1) OR (hard ADJ (disc\$1 OR disk\$1 OR drive\$1)) OR stor\$3 OR (direct ADJ access ADJ storage ADJ device\$1) OR HDD OR HDDs	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:38
S22 9	1644766	LU OR LUN OR LBA OR (Logical ADJ (Unit OR (unit ADj number\$1) OR block\$1 OR (block ADJ address\$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:38
S23 0	395	(S227 near4 S229) near S228	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:38

EAST Search History

S23 1	61	S139 AND S230	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:43
S23 2	760	(711/165).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/30 15:43
S23 3	1680	((711/161) or (711/162)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/30 15:43
S23 4	4117	((711/111) or (711/112) or (711/114)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/30 15:43
S23 5	3999	((711/4) or (711/6) or (711/202) or (711/203) or (711/206) or (711/207) or (711/221)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/05/30 15:43
S23 6	168	S230 AND (S233 OR S234 OR S235 OR S232)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:43
S23 7	28	S139 AND S236	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/30 15:43

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L38	486	(711/161).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/05/31 10:51